

Jay C. Voight, Zoning Administrator
Office of Zoning Administration
410-386-2980, fax 410-386-2451
Toll-free 1-888-302-8978
MD Relay service 7-1-1/1-800-735-2258



Thomas S. Devilbiss, Director
Department of
Land and Resource Management
Carroll County Government
225 North Center Street
Westminster, Maryland 21157

**NOTICE OF PUBLIC HEARINGS
ZONING ADMINISTRATION
CARROLL COUNTY, MARYLAND**

On **Wednesday, February 5th, 2020**, at the times noted below, or as soon thereafter as possible, the Carroll County Zoning Administration will hold public hearings in **Room 109** of the Carroll County Office Building, 225 North Center Street, Westminster, Maryland 21157, for the following cases:

2:00 p.m. ~ Case ZA-0005 for a reduction of a side yard setback from 50' to 41' for a portable storage building, at 3805 Akers Dr., Mt. Airy, MD 21771 by George T. Paul, according to the Carroll County Code of Public Local Laws and Ordinances, Chapters 155.071(E)(G) and 158.130.

2:15 p.m. ~ Case ZA-0006 for a reduction of a second right front yard setback from 35' to 30' and a reduction of a side yard setback from 20' to 15' for a shed at 41 Greenvale Rd., Westminster, MD 21157 by Mike and Celeste Donoghue according to the Carroll County Code of Public Local Laws and Ordinances, Chapters 158.073(E)(F) and 158.130.

2:30 p.m. ~ Case ZA-0007 for a family daycare as an accessory use at 5822 Keysville Rd., Keymar, MD 21757 by Marisa Little according to the Carroll County Code of Public Local Laws and Ordinances, Chapters 158.070(F)(10) and 158.130.

2:45 p.m. ~ Case ZA-0008 for a reduction of a rear yard setback from 35' to 10' for a garage at 1110 S. Pleasant Valley Rd., Westminster, MD 21157 by James Gallagher according to the Carroll County Code of Public Local Laws and Ordinances, Chapters 158.084(A)(b) and 158.130.

3:00 p.m. ~ Case ZA-0009 for a private kennel at 3232 Murkle Rd., Westminster, MD 21158 by Alice Thurman according to the Carroll County Code of Public Local Laws and Ordinances, Chapters 158.036 and 158.130.