Final Plan Review Checklist

Water Resource Impact Review

Date:	Project:	File Number:
Final Plar	n Checklist	
	If a plat is provided, these items s	hould be included on the plat
1.	Show an image of the Water Resource Pr	rotection Easement sign on the plan.
2.		esource Protection Easement on the Grading, Forest W' in the center of a box to signify the easement sign.
3.	Include fencing around the Water Resounder the stream buffer.	rce Protection Easement if the proposed disturbance is
4.	Provide a note in the Sequence of Constitution. Include the length of fencing an	ruction regarding installation of signs and fencing prior d number of signs.
5.	Provide the acreage of the Water Resour	ce Protection Easement.
6.	 a Verify that all outfalls are at least b Where possible, all storm drain p this is not possible, verify that all storm of slopes greater than or equal to 15% with c Storm drainage (up to and included) 	ipe outfalls shall not encroach into the stream buffer. I drain pipe outfalls are designed to avoid release onto an
7.	Provide documentation regarding Comm Water Resource Management Manual.	nunity Water Supply Development, per §IV.B of the
8.	Provide a Water Resource Protection Eabuffer.*	sement that encompasses and protects the stream
9.	Indicate the type of Water Resource Production	rection Easement: Forested or Non-Forested.*
10.	granted to the Carroll County Commissioners by	ereon as a Water Resource Protection Easement shall be deed intended to be recorded simultaneously herewith the remits if no plat. Indicate the type of easement in this
11.	If no record plat submitted, provide a sketch plan of metes and bounds of the Stream Buffer. This document will be attached to deed for the Water Resources Protection Easement. A written metes and bounds description is also an option.	